



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC20012259928

NAME AND ADDRESS OF THE APPLICANT

Siemens Electrical Apparatus Ltd., Suzhou
No.455 Zhujiang Road, New District, Suzhou, Jiangsu Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Siemens Electrical Apparatus Ltd., Suzhou
No.455 Zhujiang Road, New District, Suzhou, Jiangsu Province, P.R.China

NAME AND ADDRESS OF THE FACTORY

Siemens Electrical Apparatus Ltd., Suzhou, Tiantai Branch (V044342)
No.699-10, Jigong Road, Tiantai County, Zhejiang Province, P.R.China

PRODUCT NAME, MODEL AND SPECIFICATION

Flush Metal Pushbutton and Flush Metal Indicator
FM25E、FM25N、FM25S、FM25L; See the Appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.5-2017

TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-462142-2019 .

Valid from: Aug.07,2020

Valid until: Aug.07,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

President: _____

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China
<http://www.cqc.com.cn>

C 0331682



产品认证证书

附 录

第 1 页 共 4 页

证书编号: CQC20012259928

纸 号: 331682

FM25E、FM25N、FM25S、FM25L;

Ui : FM25/E/N/L: 250V; FM25S: 25V;

Uimp: FM25E/N/L: 2.5kV; FM25S: 0.5kV;

Ith: FM25E: 5A, FM25S: 2A, FM25N: 5A;

FM25E: AC-15:Ue/Ie:220V/0.5A, 110V/1A, 24V/3A;

DC-13:Ue/Ie:220V/0.1A, 110V/0.2A, 24V/0.7A;

FM25N: AC-15:Ue/Ie:220V/0.5A, 110V/1A, 24V/3A;

DC-13:Ue/Ie:220V/0.1A, 110V/0.2A, 24V/0.7A;

FM25S: DC-12:Ue/Ie:24V/0.3A;

外壳防护等级:

金属按钮 (头部): FM25E/N/S: IP65 (除 FM25N 钥匙钮为 IP54, 旋钮 IP40);

金属指示灯 (头部): FM25L: IP67;

安装孔径: ϕ 25mm;

型号的解释 (Explanation of model/ type):

注: 此附录与证书同时使用时有效。

主任: _____

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

第 3 页 共 4 页

证书编号: CQC20012259928

纸 号: 331682

1. 无标注: 按常规型号供货。

2. 有标注: 按要求标注, 标注的代码由 1-10 位字符组成, 用来标识供货信息。

表 1 带灯钮的符号片代码

代码	不标注	Sxyz	S99
符号片内容	没有符号片	标准符号片	有符号片, 内容客户要求

注: 代码 Sxyz 中的 xyz 是数字, 见样本中的符号片编号。

表 2 电压代码表

压代码	21	22	23	24	25	26	28
电源	AC/DC						
电压	6V	12V	24V	36V	48V	110V	220V
光源类型	LED						

注: 此附录与证书同时使用时有效。

主任: 陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

第 4 页 共 4 页

证书编号: CQC20012259928

纸 号: 331682

2) 金属指示灯型号解释:

FM 25 L - □ □ □ □ / □ □ - □

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩

- ① 基础型号: 平头金属
- ② 安装孔径: $\Phi 25$
- ③ 系列代码: L: 指示灯
- ④ 外壳材料: S: 不锈钢, A: 铝阳极氧化
- ⑤ 头部按键形状: F: 平头 H: 高头
- ⑥ 尾部接线类型: P: 插片式 S: 螺钉接线
- ⑦ 符号片代码: 不标注: 无符号; S+数字: 表示符号, 比如: S1: 电源标 S99: 按客户需求打印
- ⑧ 钮片颜色: r: 红色 g: 绿色 y: 黄色 b: 蓝色 w: 白色
- ⑨ 电压代码: 见表 2:
- ⑩ 辅助代码 (不同代码之间用“-”隔开)
 - 1. 无标注: 按常规型号供货。
 - 2. 有标注: 按要求标注, 标注的代码由 1-10 位字符组成, 用来标识供货信息

注: 此附录与证书同时使用时有效。

主任: _____

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>